

AMENDMENTS TO THE CLAIMSLISTING OF CLAIMS

This listing of claims will replace all prior versions, and listings, of the claims in the application.

B4 Claim 1 (Currently Amended). An apparatus controlling method for performing control between apparatuses connected to a predetermined bus line,

wherein in an audio/video stream data transmission between a first apparatus and a second apparatus, presetting of settings for inputting or outputting the audio/video stream of data in the first apparatus is directed by a transmission of a command in a predetermined format via the bus line,

wherein an identification data unique to the second apparatus is transmitted upon the transmission of the command, and

wherein the first apparatus stores the transmitted unique identification data when performing the presetting in accordance with the command.

34
Claim 2 (Previously Presented). The apparatus controlling method according to Claim 1,

wherein the first apparatus disables the preset, identifies the second apparatus connected to the bus line from the stored identification data, and then does not perform the presetting in response to a directing command transmitted from any other of the apparatuses than the identified second apparatus once a resetting is performed in the bus line.

Claim 3 (Currently Amended). The apparatus controlling method according to Claim 1,

wherein upon ~~the~~ a resetting performed in the bus line, the first apparatus disables the preset and maintains the stored identification data for at least a predetermined period following the resetting,

during the predetermined period, the first apparatus identifies the second apparatus connected to the bus line from the stored identification data, performs the presetting of the settings for inputting or outputting of the data only in response to the command from the identified second apparatus, and

34
after the predetermined period has been passed, the first apparatus removes the disablement of accepting the preset requesting command from the other apparatuses.

Claim 4 (Previously Presented). The apparatus controlling method according to Claim 1, wherein the first apparatus cancels the preset in response to a direction for canceling the preset issued by the apparatus which is the issuer of the preset command for the above particular preset, if this particular preset is enabled in the first apparatus.

Claim 5 (Previously Presented). The apparatus controlling method according to Claim 1, wherein the first apparatus transmits data for identification of the second apparatus to an issuer of another of the command requesting the presetting of settings in the first apparatus for data transmission with one of the apparatuses other than the second apparatus, if the preset for the second apparatus is enabled in the first apparatus.

24
Claim 6 (Currently Amended). An apparatus controlling method for performing control between apparatuses connected to a predetermined bus line,

wherein settings of an output status in a first apparatus are preset by a transmission of a predetermined command from a second apparatus so that audio/video stream data outputted from the first apparatus is received by the second apparatus, and

wherein issuance of the command from the second apparatus is made by a direction from the first apparatus.

Claim 7 (Previously Presented). The apparatus controlling method according to Claim 6,

wherein upon the issuance of the command from the second apparatus under the direction of the first apparatus, an identification data indicating that the command has issued under the direction of the first apparatus is attached to a predetermined section of the command.

Claim 8 (Canceled).

74
Claim 9 (Currently Amended). A transmission device for controlling an audio/video stream data transmission with other apparatuses connected via a predetermined bus line, comprising:

an inputting portion for input of data transmitted via the bus line,

a data processing portion for finding from the data inputted by the inputting portion a command regarding a presetting of settings for input selection or output selection ~~in~~ of an audio/video stream data transmission with a specific one of the apparatuses connected to the bus line, and for performing the presetting specified in the command, and

a storing portion for storage of identification data unique to the specific one of the apparatuses contained in the command detected by the data processing portion.

Claim 10 (Previously Presented). The transmission device according to Claim 9,

wherein the data processing portion disables the preset, identifies the specific one of the apparatuses from the identification data stored in the storing portion once a

resetting is performed in the bus line, and

B4 wherein the data processing portion does not perform any presetting requested by the command transmitted from any other of the apparatuses than the identified specific one of the apparatuses.

Claim 11 (Previously Presented). The transmission device according to Claim 9,

wherein the data processing portion disables the preset, and identifies the specific one of the apparatuses from the identification data stored in the storing portion once a resetting is performed in the bus line,

wherein the data processing portion performs the presetting of the settings for inputting or outputting of the data only in response to the command from the above identified specific apparatus for at least a predetermined period, and after the predetermined period having been passed, performs the presetting in response to the command from any of the apparatuses including the specific one of the apparatuses.

Claim 12 (Previously Presented). The transmission device

according to Claim 9,

B4 wherein the data processing portion cancels the preset in response to a command for canceling the preset issued from the apparatus which is the issuer of the command regarding a presetting of settings.

Claim 13 (Previously Presented). The transmission device according to Claim 9,

wherein the data processing portion detects a command regarding a preset from another apparatus when the preset is enabled, and the data processing portion transmits data regarding an apparatus identified from the identification data stored in the storing section to an issuer of the command regarding a presetting of settings.

Claim 14 (Canceled).
